



DR RADIAL SEALS




- Other profiles and sizes than listed can be supplied on request.
- All the types can be supplied, by request, in the split model, with 90 degree cut.
- The addition of the letter "S" (DR10S + A10S) indicates that the seal has a dust lip profile.
- A10 + A10S are not available in split.



Type	d	D	H
DR10	25,40	47,60	9,52
DR10	60	80	10
DR10	69,85	85,72	7,92
DR10	70	102	12,50
DR10S	75	107	12,50
DR10	80	100	8
DR10	80	112	12,50
DR10	88,70	114,30	12,70
DR10	90	110	12
DR10	90	122	12,50
DR10	101,70	127	12,70
DR10S	105	145	16
DR10	110	130	12
DR10	110	140	13
DR10	112,70	138,80	14,80
DR10	120	150	13
DR10	123,80	149,20	12,70
DR10	125	157	12,50
DR10	127	165	16
DR10	132,20	165,20	15
DR10	140	170	15
DR10	145	180	14
DR10	146,05	177,80	15,87
DR10	150	180	12
DR10	152,40	181	16
DR10	152,40	190,50	15,87
DR10	160	190	15
DR10	160	200	16
DR12	165	195	15
DR10	170	210	16
DR10	170	211	16
DR10	177,80	209,55	19,05
A10	175	205	15
DR10	180	200	15
DR10	180	222	16
DR10	190,50	215,90	15,87
DR10	200	250	18
DR10	210	250	16
DR10	215	248	15
DR12	215,90	247,65	20,62
DR10	220	260	16
DR12	220	260	18
DR10	226	276	22,30
DR10	230	265	18
DR10	235	275	20
A10	240	270	15
DR10	240	275	18
DR12	240	280	18


Type	d	D	h
DR10	244,47	295,53	25,40
DR10	250	285	18
DR10	250	290	16,50
DR10	260	300	18
DR10	260	304	20
DR12	270	310	18
DR10	280	320	16
DR10	280	320	18
DR12	280	320	18
DR10	280	320	20
DR10	280	324	20
DR10	280	350	16
DR12	285	325	18
DR10	286	336,55	15
DR10	290	330	20
DR10	290	334	20
DR10	292	330	15,87
DR10	300	340	16,50
DR12	300	340	18
DR10	300	340	20
DR10	300	344	20
DR12	300	344	20
A10	300	344	20
DR10	310	345	18
DR12	310	354	20
DR10	314	355	20
DR10	316	360	20
DR10	317,50	355,60	19,05
DR10	320	350	15,40
DR10	320	360	18
DR10	320	360	20
DR11	320	364	18
DR10	323,85	374,65	25,40
DR12	325	365	16
DR10	328	372	20,20
DR10	330	370	20
DR10	330	380,80	20,62
DR10	335	373	19
DR10	340	380	20
DR10	340	384	20
DR10	342,90	381	17,45
DR10	342,90	381	19,05
DR12	350	390	18
DR10	350	390	20
DR10	350	394	20
DR10	360	404	20
DR10	360	410	20
DR10	365	409,40	19,05

- Other profiles and sizes than listed can be supplied on request.
- All the types can be supplied, by request, in the split model, with 90 degree cut.
- The addition of the letter “S” (DR10S + A10S) indicates that the seal has a dust lip profile.
- A10 + A10S are not available in split.



Type	d	D	h
DR10	370	410	20
DR12	374,65	419,10	22,22
DR10	380	420	20
DR12	380	424	20
DR10	380	430,80	20,62
A10	385	430	25
DR10	387	431	22,50
DR10	387	438	25,40
DR10	387,35	438,15	22,22
DR12	390	430	18
DR10	390	430	20
DR12	400	440	18
DR10	400	440	20
DR12	400	440	22
DR10	400	444	20
DR10	400	450	22
DR12	400	450	22
DR10	406,20	444,50	17,45
DR10	406,40	457,20	19,05
DR10	406,40	457,20	20,70
DR10	406,40	457,20	23
DR12	419,10	457,20	19,05
DR12	420	470	22
DR10	420	470	25
DR12	430	480	22
DR10	430	480	25
DR10	440	480	26
DR10	440	490	20
DR10S	440	490	22
DR10	440	490	25
A10	440	490	25
DR10	450	494	20
DR10	450	500	22
DR10S	450	500	22
A10	450	500	25
DR12	460	510	22
DR10	460	510	25
DR10	470	520	25
DR10	480	520	20
DR10	480	530	22
DR12	480	530	22
DR10	480	550	25
DR10	495	545	22
DR10	500	540	20
DR10S	500	540	22
DR12	520	564	20
DR12	520	570	22
DR10	525	575	22

Type	d	D	h
DR10	530	580	22
DR12	530	580	22
DR10	530	580	22,30
DR10	530	580	25
DR10	535	585	22
DR10	540	590	30
DR10	550	600	22
DR12	550	600	22
DR10	558,80	609,60	22,22
DR10	560	610	20
DR10	560	610	22,30
DR10	575	625	22
A10	584,20	622,30	19,05
DR12	600	640	18
DR10	600	650	22
DR12	614	658	20
DR12	620	670	22
DR10	635	705	30
DR10	650	690	18
DR10	660	724	25
DR10	685	749	25
DR10	700	760	30
DR12	700	764	25
DR10	710	770	30
DR12	724	775	22
DR10	736	800	25
DR12	740	780	16,50
DR10	750	810	30
DR10	750	814	25
DR10	760	820	30
DR10	780	844	25
DR12	790	854	25
DR10	793,75	844,55	19,05
DR10	800	860	30
DR11	800	864	21,60
DR12	800	864	25
DR10	810	874	25
DR10	825,50	876,30	22,22
DR10	840	904	25
DR10	850	910	30
DR12	890	930	18
DR12	901,70	952,50	22,22
DR10	933,40	984,23	22,22
DR10	950	1000	25
DR10	950	1010	30
DR10	965,20	1016	22,22
DR12	985	1045	25



005036VER2

M SEALS

Denmark

M Seals A/S
Bybjergvej 13
DK-3060 Espergærde
Tel.: +45 49 13 02 05
Fax: +45 49 13 01 41
sales@m-seals.dk
www.m-seals.dk

Sweden

M Seals AB
Montörgatan 7
SE-302 60 Halmstad
Tel.: +46 (0)35 15 89 40
Fax: +46 (0)35 12 19 47
sales@m-seals.se
www.m-seals.se

China

M Seals China
Room 2508, Starlife Building
Wangjing West
Chaoyang District
Beijing 100102, China
Tel.: +86 10 8453 7121
Fax: +86 10 6475 0529
msealschina@gmail.com
www.m-seals.com